

MATERIAL SAFETY - Siliwax Hard

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY INFORMATION

Product Name: Siliwax Hard

Supplier: Chanjao Longevity Co., Ltd. 50 Ramindra 14, Bangkok 10230 Thailand

Emergency Phone No.: +662-002-7-002

Fax No.: +662-001-7-022

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Composition (%)
C30-45 Alkyl Methicone	189378-12-9	30-60%
C30-45 Olefin	131459-42-2	30-60%

Hazard Symbols: Not listed

Risk Phrases: Not listed

3. HAZARD IDENTIFICATION

This product is not known to be hazardous but, as with all chemicals handle with care.

Potential Health Effects

Eye: Solid material is not expected to be irritant. However, vapors from molten wax may irritate.

Skin: Solid material is not expected to be irritant. However, vapors from molten wax may irritate.

Ingestion: Non-toxic.

Inhalation: Over-exposure may cause irritation on nose and throat.

4. FIRST AID MEASURES

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.

Skin Contact: Flush skin with plenty of soap and water – get medical attention if irritation occurs.

Inhalation: Remove to fresh air

Ingestion: Seek immediate medical attention if swallowed.

MATERIAL SAFETY - Siliwax Hard

5. FIRE FIGHTING MEASURES

General Information:

Material flash point is above 230 Degree C (PMCC Method). Auto-ignition temperature is 368 Degree C.

Extinguishing Media:

Dry Chemical, Sand, Carbon Dioxide, Foam.

6. ACCIDENTAL RELEASE MEASURES

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb into absorbent material. Wash area with soap and water.

7. HANDLING AND STORAGE

Handling:

Keep away from light and heat.

Storage:

Store in room temperature, kept container tightly closed. Do not expose to sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection:

Eyes: Safety glasses.

Skin: Lab gloves.

Clothing: Lab clothes not required but recommend.

Respirators: Not needed under normal conditions of use.

MATERIAL SAFETY - Siliwax Hard

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Solid wax
Color:	White
Odor:	Little / characteristics
Flash Point:	232 Degree C (PMCC)
Auto-ignition Temperature:	368 Degree C
Solubility in water:	Insoluble
Melting Point:	73.9-87.8 Degree C
Relative Density:	0.79 (at 15.6C)
Density:	0.8 g/cm ³
Viscosity:	9 cSt at 99C
Evaporation rate:	1

10. STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of storage and handling.

Conditions to Avoid:

Incompatible materials listed below. Avoid all possible sources of ignition.

Incompatibilities:

Oxidizing agents, strong acids, strong alkalis, excessive heat or light

11. TOXICOLOGICAL INFORMATION

Substance is generally non-toxic and non-irritant. Toxicology profile has not been fully investigated.

LD50/LC50: Oral Rat >2,000mg/kg

Carcinogenicity: Not available.

12. ECOLOGICAL INFORMATION

Not available.

MATERIAL SAFETY - Siliwax Hard

13. DISPOSAL CONSIDERATION

Waste from Residue/Unused Products:

Dispose of in a manner consistent with federal, state, and local regulations.

This compound is NOT on the EPA Toxic Substances Control Act (TSCA) inventory list.

14. TRANSPORT REGULATIONS

IATA No information available.

IMO No information available.

RID/ADR No information available.

15. REGULATORY INFORMATION

This material is intended to be used as a cosmetic ingredient.

Hazard Symbol(s): Not available.

Risk Phrase(s): Not available.

16. OTHER INFORMATION

The information provided in this material safety data sheet is correct to the best of our knowledge. No warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Chanjao Longevity assumed no responsibility for any personal injury or property damage caused by the materials. Users assume all risks associated with the use of the materials.
