

MATERIAL SAFETY - SiliSilk™

1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY INFORMATION

Product Name: SiliSilk™
Supplier: Chanjao Longevity Co., Ltd. 50 Ramindra 14, Bangkok 10230 Thailand
Emergency Phone No.: +662-002-7-002
Fax No.: +662-001-7-022

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Composition (%)
Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer	-	100

Hazard Symbols: Not listed
Risk Phrases: Not listed

3. HAZARD IDENTIFICATION

This product is not known to be hazardous but, as with all chemicals handle with care.

Potential Health Effects

Eye: Non-toxic but may irritate.
Skin: Non-toxic but may irritate on susceptible persons.
Ingestion: Non-toxic but large amount may cause health concerns.
Inhalation: Over-exposure may cause irritation on nose and throat.

4. FIRST AID MEASURES

Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids.
Skin Contact: Flush skin with plenty of soap and water – get medical attention if irritation occurs.
Inhalation: Remove to fresh air
Ingestion: Seek immediate medical attention if swallowed.

MATERIAL SAFETY - SiliSilk™

5. FIRE FIGHTING MEASURES

General Information:

Non-flammable

Extinguishing Media:

Dry Chemical, Sand, Carbon Dioxide, Foam.

6. ACCIDENTAL RELEASE MEASURES

General Information:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks:

Absorb into absorbent material. Wash area with soap and water.

7. HANDLING AND STORAGE

Handling:

Keep away from light and heat.

Storage:

Store in room temperature 15-25 Degree Celsius, kept container tightly closed. Do not expose to sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protection:

Eyes: Safety glasses.

Skin: Lab gloves.

Clothing: Lab clothes not required but recommended.

Respirators: Certified/Approved respirator recommended.

MATERIAL SAFETY - Silisilk™

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Powder
Color:	White
Odor:	None/Odorless
Solubility in water:	Insoluble
Evaporation Rate:	Negligible (butyl acetate = 1)
Specific Gravity:	0.99 (25C, true specific gravity)

10. STABILITY AND REACTIVITY

Stability:

Very stable under normal conditions of storage and handling.

Conditions to Avoid:

None

Incompatibilities:

None

11. TOXICOLOGICAL INFORMATION

Substance is generally non-toxic and non-irritant.

LD50/LC50: >2000mg/kg.

Carcinogenicity: Not available.

12. ECOLOGICAL INFORMATION

Not available.

MATERIAL SAFETY - Silisilk™

13. DISPOSAL CONSIDERATION

Waste from Residue/Unused Products:

Dispose of in a manner consistent with federal, state, and local regulations.

This compound is NOT on the EPA Toxic Substances Control Act (TSCA) inventory list.

14. TRANSPORT REGULATIONS

IATA No information available.

IMO No information available.

RID/ADR No information available.

15. REGULATORY INFORMATION

This material is intended to be used as a cosmetic ingredient.

Hazard Symbol(s): Not available.

Risk Phrase(s): Not available.

16. OTHER INFORMATION

The information provided in this material safety data sheet is correct to the best of our knowledge. No warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Chanjao Longevity assumed no responsibility for any personal injury or property damage caused by the materials. Users assume all risks associated with the use of the materials.
